






Unlicensed Lab Assistant Training Test Answers






Employee Name: _____ Date: _____
Print Name

Job Description: _____ Signature: _____





Read or attend the Laboratory presentation and circle "True" or "False" for each question.

1. California testing personnel lab laws are different from CLIA and other state regulations
 - a. True 
 - b. False
2. California lab regulations follows the CLIA classification of tests [Waived, PPM, Moderate complexity and High complexity].
 - a. True 
 - b. False
3. Lab developed tests are classified as high complexity.
 - a. True 
 - b. False
4. Unlicensed laboratory personnel in California are considered testing personnel
 - a. True
 - b. False 
5. Unlicensed Laboratory Personnel are authorized to assist a licensed physician and surgeon or personnel licensed to perform tests [CLS or MLT].
 - a. True 
 - b. False









Unlicensed Lab Assistant Training Test Answers

6. Unlicensed personnel supervision requirements depend on the assigned task of the unlicensed person.
- a. True 
 - b. False
7. One kind of supervision is Supervision and Control [supervisor can be either physically present in the laboratory or available by telephone or other electronic means]
- a. True 
 - b. False
8. The other kind of supervision is Direct and Constant Supervision [means personal observation [**direct line of sight**] and critical evaluation of the activity of unlicensed laboratory personnel by a physician and surgeon, or by a person licensed under this chapter other than a trainee, **during the entire time that the unlicensed laboratory personnel are engaged in the duties specified in Section 1269.**]
- a. True 
 - b. False
9. No laboratory testing can be performed without a licensed person on-site.
- a. True 
 - b. False
10. A California Licensed Medical Laboratory Technician [MLT] has to have a California Clinical Laboratory Scientist or other qualified licensee onsite whenever they are performing laboratory tests that they are licensed to perform.
- a. True 
 - b. False

Unlicensed Lab Assistant Training Test Answers


11. Unlicensed can perform these kinds of tasks with supervision and control.
Labeling, specimen processing or preparation, load specimens on automatic pipetting systems, place QC material on an instrument
- a. True 
 - b. False
12. Unlicensed persons can perform these kinds of tasks under direct and constant supervision. Manually record digital temperature and humidity results; load patient samples onto an instrument; start the instrument; Assist in preventive maintenance and troubleshooting and transcribe results that have been previously recorded either manually by a CLS/MLT or automatically by an instrument
- a. True 
 - b. False
13. Unlicensed personnel cannot perform these tasks with supervision and control.
Manually measure the quantitative volume of any specimen or reagent;
Quantitatively measure any sample unless using a previously calibrated and approved automatic syringes or other dispensers;
- a. True 
 - b. False
14. Unlicensed personnel cannot perform these tasks with direct and constant supervision. Prepare any control that requires the use of a pipet or other manual quantitative measurements; Prepare any control that requires the use of a pipet or other manual quantitative measurements; Evaluate QC, calibration or patient results for acceptability; and place calibration materials on an instrument.
- a. True 
 - b. False

Unlicensed Lab Assistant Training Test Answers


15. Unlicensed personnel may read qualitative or semi-quantitative (spot, tablet, or stick) test results.
- a. True
 - b. False 
16. Unlicensed personnel may release patient test results
- a. True
 - b. False 
17. Unlicensed personnel may read or initially record test results
- a. True
 - b. False 
18. Unlicensed personnel may record and initial equipment maintenance.
- a. True 
 - b. False
19. Unlicensed personnel may record and initial room temperature or humidity [if digital thermometer or hygrometer]
- a. True 
 - b. False
20. Unlicensed personnel may record and initial QC records
- a. True
 - b. False 
21. Unlicensed personnel may record and initial calibration records
- a. True
 - b. False 
22. Unlicensed personnel may record and initial validation results.
- a. True
 - b. False 

Unlicensed Lab Assistant Training Test Answers


23. Unlicensed personnel cannot have their name/initials on Calibration or QC print outs.

- a. True 
- b. False


24. Unlicensed personnel cannot have their name/initials on instrument operator designation..

- a. True 
- b. False


25. Unlicensed personnel cannot have their name/initials on patient test results reports.

- a. True 
- b. False

26. Unlicensed personnel cannot have their name/initials on Analyzer reports.

- a. True 
- b. False

27. Unlicensed personnel cannot have their name/initials on any corrective action [equipment, QC, calibration, etc.].

- a. True 
- b. False

Score must be at least 80% [21] correct answers]

Score _____ Correct _____ Incorrect _____

Extra training if less than 80% score [21 out of 27] completed on:

Scored and Approved by: _____ Date: _____